

CLAIMS

What is claimed is:

- 5 1. A method of representing a net of an integrated circuit die comprising steps of:
 - (a) receiving as input vertices of a net in an integrated circuit die;
 - (b) calculating rounded coordinates having a
10 selected resolution for each of the vertices;
 - (c) calculating rounded coordinates having the selected resolution along the net between each of the vertices; and
 - (d) generating as output the rounded coordinates to
15 represent the net.
- 20 2. The method of Claim 1 wherein step (c) comprises incrementing an X-coordinate or a Y-coordinate of the rounded coordinate by the selected resolution to generate rounded coordinates between each vertex.
- 25 3. The method of Claim 2 further comprising a step of combining multiple rounded coordinates having an identical value for different vertices in the net into a single rounded coordinate.
4. The method of Claim 2 further comprising a step of entering the rounded coordinates representing the net into a database including at least one of a wafer lot

identification, a wafer identification, a die identification, and a layer identification.

5 5. The method of Claim 2 further comprising a step of finding a defect on the integrated circuit die by associating a rounded coordinate that occurs more than a selected number of times in a plurality of failed nets with a location of the defect.

10 6. The method of Claim 2 further comprising a step of finding a number of times each rounded coordinate occurs in a plurality of failed nets.

15 7. The method of Claim 6 further comprising a step of displaying the number of times each rounded coordinate occurs in a plurality of failed nets.

20 8. The method of Claim 7 further comprising a step of associating a color with the number of times each rounded coordinate occurs in a plurality of failed nets.

25 9. The method of Claim 6 further comprising a step of filtering the rounded coordinates by at least one of a wafer lot, a wafer, a die, an area, and a layer.

 10. The method of Claim 1 further comprising a step of generating a plot of a value of a net parameter summed over identical rounded coordinates in multiple nets.

11. A computer program product for representing a net of an integrated circuit die comprising:

5 a medium for embodying a computer program for input to a computer; and

a computer program embodied in the medium for causing the computer to perform steps of:

(a) receiving as input vertices of a net in an integrated circuit die;

10 (b) calculating rounded coordinates having a selected resolution for each of the vertices;

(c) calculating rounded coordinates having the selected resolution along the net between each of the vertices; and

15 (d) generating as output the rounded coordinates to represent the net.

12. The computer program product of Claim 11 wherein step (c) comprises incrementing an X-coordinate or a Y-coordinate of the rounded coordinate by the
20 selected resolution to generate rounded coordinates between each vertex.

13. The computer program product of Claim 12
25 further comprising a step of combining multiple rounded coordinates having an identical value for different vertices in the net into a single rounded coordinate.

14. The computer program product of Claim 12 further comprising a step of entering the rounded coordinates representing the net into a database including at least one of a wafer lot identification, a wafer identification, a die identification, and a layer identification.

15. The computer program product of Claim 12 further comprising a step of finding a defect on the integrated circuit die by associating a rounded coordinate that occurs more than a selected number of times in a plurality of failed nets with a location of the defect.

16. The computer program product of Claim 12 further comprising a step of filtering the rounded coordinates by at least one of a wafer lot, a wafer, a die, an area, and a layer.

17. The computer program product of Claim 12 further comprising a step of finding a number of times each rounded coordinate occurs in a plurality of failed nets.

18. The computer program product of Claim 17 further comprising a step of displaying the number of times each rounded coordinate occurs in a plurality of failed nets.

19. The computer program product of Claim 18 further comprising a step of associating a color with the number of times each rounded coordinate occurs in a plurality of failed nets.

5

20. The computer program product of Claim 12 further comprising a step of generating a density plot of a net parameter summed over identical rounded coordinates in multiple nets.

10

21. A method of representing a net comprising steps of:

- (a) receiving as input vertices of a net;
- (b) selecting a resolution for representing spatial features of the net;
- (c) calculating rounded coordinates having the selected resolution for each of the vertices;
- (d) calculating rounded coordinates having the selected resolution along the net between the vertices;
- and
- (e) generating as output the rounded coordinates to represent the net.

25